


# SPARE PARTS EXPLODED VIEW STORAGE ELECTRIC WATER HEATERS Model


# **CLASSICO STD - STI**

R8202845-02EN - Edition 02 - 09/02/2002





Reference	Ind.	Model type	Begin	End
894 055 894 059		CLASSICO - STD 300 CLASSICO - STI 300	10/04 06/04	
894 054 894 058		CLASSICO - STD 210 CLASSICO - STI 210	09/04 05/04	
894 053 894 057		CLASSICO - STD 150 CLASSICO - STI 150	07/04 05/04	
894 052 894 056		CLASSICO - STD 125 CLASSICO - STI 125	07/04 05/04	














						/5		 		7
Key N	I Description	Manf. Pt. N Other	т Туре	_	/ <u>'</u> 	\$\frac{\sqrt{\sq}}}}}}}}}}}}}} \sqrt{\sq}}}}}}}}}}}}} \sqitites \sqrt{\sqrt{\sint{\sintitex{\sinty}}}}}}}}}} \sqrt{\sqrt{\sqrt{\sintity}}}}}}}}} \sqrt{\sqrt{\sintinity}}}}}}} \end{\sqrt{\sqrt{\sintitta}}}}}}} \sqrt{\s	\$5\d	\$\$\\ \	/	f. date
0001	/ HEATING ELEMENT+TH INSULATOR+ANODE	65101884		•	•	•	•		from	/ to
	THERMOSTAT (TBS 300 65/75)	691218		•	•	•	•			
0022	SAFETY DEVICE PACK	60000225		•	•	•	•			
	TEMPERATURE+PRESSURE RELIEF VA	969046		•	•	•	•			
	ANODE D:26 L:370 + PLUG M1	919054		•	•	•	•			
	ANODE GASKET	65101038		•	•	•	•			
	HEATING ELEMENT GASKET	924087		•	•	•	•			
	CUT-OUT THERMOSTAT INDIRECT FOOT (50 MM)	935185 926348		•	•	•	•			
	FOOT (100MM)	926136					•			
	REGULATION THERMOSTAT INDIRECT	935184		•	•	•	•			
	INDIRECT THERMOSTAT KIT + DUCT	921046		•	•	•	•			
	TWO-WAY VALVE	60000224		•	•	•	•			
0070	EXPANSION VESSEL	60000223		•	•					
	EXPANSION VESSEL	60000227				•	•			


# TEAM

### LIST OF THE ABBREVATIONS

HW ..... : Hot water. CW ..... : Cold water. : Ceramic resistance (normal heating). : Ceramic resistance (accelerated heating) TP ..... : Immersion heater. : With fittings. Without fittings. 3F With fittings and another outlet connection. AMI ..... With mixing valve. SMI ..... : Without mixing valve. PUISS ..... : Power of th appliance. PN ..... : Appliance with normal pression. LP ..... : Appliance with low pression. PV ..... : Appliance with variable power. : Appliance with fixed power..

## **IDENTIFICATION PLATE**

### **SERIAL NUMBER**



The indications mentionned on the prices, commercial or technical literature and the scheme are written for your guidance and are available at a given time. The CONSTRUCTOR retains the power to modify the presentation, the form, the size, the conception or the material of the products.