

# SAFETY DATA SHEET



Cookson Electronics ASSEMBLY MATERIALS

## HP-5C 1000Ltr

### 1. Identification of the preparation and of the company

**Product name** : HP-5C 1000Ltr**Code** : 59379**Head Office** : **Cookson Electronics**  
Forsyth Road  
Sheerwater  
Woking  
Surrey  
England  
GU21 5RZ  
Tel: +44(0)1483 758400  
Fax: +44(0)1483 728837**Manufacturer** : Cookson Electronics  
Koenendelseweg 29  
5222 BG  
's-Hertogenbosch  
The Netherlands  
Tel: +31 73 6280 111  
Fax: +31 73 6219 283**Contact person** : shosken@cooksonelectronics.com

:

### 2 Hazards identification

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

**Classification** : Not classified.**Effects and symptoms**

:

**Skin contact** : Not available.**Eye contact** : Not available.**Toxicity data** : Not available.**Additional warning phrases** : Contains chlorocresol. May produce an allergic reaction. Safety data sheet available for professional user on request.

See section 11 for more detailed information on health effects and symptoms.

### 3 Composition/information on ingredients

**Substance/preparation** : Preparation

Ingredient name	CAS number	%	EC number	Classification
Europe triethanolamine See section 16 for the full text of the R-phrases declared above	102-71-6	1 - 5	203-049-8	Not classified.

Occupational exposure limits, if available, are listed in section 8.

The classifications listed, indicate the potential hazards of the ingredients

### 4. First-aid measures

**First-aid measures****Inhalation** : Get medical attention if symptoms occur.**Ingestion** : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if symptoms occur.**Skin contact** : Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.**Date of issue** : 02/12/2010.

1/7

## 4. First-aid measures

- Eye contact** : Check for and remove any contact lenses. Flush with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if irritation occurs.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.
- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

See section 11 for more detailed information on health effects and symptoms.

## 5. Fire-fighting measures

### Extinguishing media

- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : In a fire or if heated, a pressure increase will occur and the container may burst. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Hazardous combustion products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

- Personal precautions** : Put on appropriate personal protective equipment (see section 8).
- Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Large spill** : Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use a water rinse for final clean-up. Dispose of via a licensed waste disposal contractor.
- Small spill** : Dilute with plenty of water. Use a water rinse for final clean-up.

## 7. Handling and storage

- Handling** : Put on appropriate personal protective equipment (see section 8). Do not reuse container.
- Storage** : Use appropriate containment to avoid environmental contamination.
- Packaging materials**
- Recommended** : Use original container.
- Czech Republic - Storage code** : III

## 8. Exposure controls/personal protection

### Exposure limit values

## 8. Exposure controls/personal protection

<u>Ingredient name</u>	<u>Occupational exposure limits</u>
<b>Europe</b> triethanolamine	<b>ACGIH TLV (United States, 1/2007).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s).
<b>Sweden</b> triethanolamine	<b>AFS (Sweden, 6/2005).</b> STEL: 10 mg/m <sup>3</sup> 15 minute(s). TWA: 5 mg/m <sup>3</sup> 8 hour(s).
<b>Denmark</b> triethanolamine	<b>Arbejdstilsynet (Denmark, 4/2005).</b> TWA: 3.1 mg/m <sup>3</sup> 8 hour(s). TWA: 0.5 ppm 8 hour(s).
<b>Norway</b> propane-1,2-diol	<b>Arbejdstilsynet (Norway, 11/2007).</b> TWA: 79 mg/m <sup>3</sup> 8 hour(s). TWA: 25 ppm 8 hour(s).
triethanolamine	<b>Arbejdstilsynet (Norway, 10/2003).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s).
<b>France</b> No exposure limit value known.	
<b>Netherlands</b> No exposure limit value known.	
<b>Germany</b> No exposure limit value known.	
<b>Finland</b> No exposure limit value known.	
<b>United Kingdom (UK)</b> propane-1,2-diol	<b>EH40/2005 WELs (United Kingdom (UK), 8/2007).</b> TWA: 10 mg/m <sup>3</sup> 8 hour(s). Form: Particulate TWA: 474 mg/m <sup>3</sup> 8 hour(s). Form: Sum of vapour and particulates TWA: 150 ppm 8 hour(s). Form: Sum of vapour and particulates
<b>Austria</b> triethanolamine	<b>GKV_MAK (Austria, 6/2006).</b> STEL: 10 mg/m <sup>3</sup> , 4 times per shift, 15 minute(s). Form: Inhalable fraction STEL: 1.6 ppm, 4 times per shift, 15 minute(s). Form: Inhalable fraction TWA: 5 mg/m <sup>3</sup> 8 hour(s). Form: Inhalable fraction TWA: 0.8 ppm 8 hour(s). Form: Inhalable fraction
<b>Switzerland</b> No exposure limit value known.	
<b>Belgium</b> triethanolamine	<b>Lijst Grenswaarden / Valeurs Limites (Belgium, 3/2006).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s).
<b>Spain</b> triethanolamine	<b>INSHT (Spain, 1/2007).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s).
<b>Turkey</b> No exposure limit value known.	
<b>Czech Republic</b>	

## 8. Exposure controls/personal protection

triethanolamine	<b>178/2001 (Czech Republic, 6/2004).</b> STEL: 10 mg/m <sup>3</sup> 10 minute(s). STEL: 1.64 ppm 10 minute(s). TWA: 5 mg/m <sup>3</sup> 8 hour(s). TWA: 0.82 ppm 8 hour(s).
<b>Ireland</b>	
propane-1,2-diol	<b>NAOSH (Ireland, 8/2007).</b> OELV-8hr: 10 mg/m <sup>3</sup> 8 hour(s). Form: particulate OELV-8hr: 470 mg/m <sup>3</sup> 8 hour(s). Form: vapour and particulates OELV-8hr: 150 ppm 8 hour(s). Form: vapour and particulates
triethanolamine	<b>NAOSH (Ireland, 3/2002).</b> OELV-8hr: 5 mg/m <sup>3</sup> 8 hour(s).
<b>Italy</b>	
triethanolamine	<b>ACGIH TLV (United States, 1/2007).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s).
<b>Estonia</b>	
triethanolamine	<b>Sotsiaalminister (Estonia, 9/2001).</b> STEL: 10 MG/M3 15 minute(s). TWA: 5 MG/M3 8 hour(s).
<b>Lithuania</b>	
propane-1,2-diol	<b>Del Lietuvos Higienos Normos (Lithuania, 10/2007).</b> TWA: 7 mg/m <sup>3</sup> 8 hour(s).
triethanolamine	<b>Del Lietuvos Higienos Normos (Lithuania, 12/2001).</b> STEL: 10 MG/M3 15 minute(s). TWA: 5 MG/M3 8 hour(s).
<b>Slovakia</b>	
No exposure limit value known.	
<b>Hungary</b>	
No exposure limit value known.	
<b>Poland</b>	
No exposure limit value known.	
<b>Slovenia</b>	
triethanolamine	<b>Uradni list Republike Slovenije (Slovenia, 4/2005).</b> TWA: 5 MG/M3 8 hour(s). Form: Inhalable fraction
<b>Latvia</b>	
propane-1,2-diol	<b>LV Nat. Standardisation and Meterological Centre (Latvia, 5/2007).</b> TWA: 7 mg/m <sup>3</sup> 8 hour(s).
<b>Greece</b>	
No exposure limit value known.	
<b>Portugal</b>	
triethanolamine	<b>Instituto Português da Qualidade (Portugal, 7/2004).</b> TWA: 5 MG/M3 8 hour(s).

**Recommended monitoring procedures** : None identified.

### Exposure controls

- Occupational exposure controls** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
- Respiratory protection** : None assigned.
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. <1 hours (breakthrough time): disposable vinyl

**Date of issue** : 02/12/2010.

4/7

## 8. Exposure controls/personal protection

- Eye protection** : Recommended: None assigned.
- Skin protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: None assigned.
- Environmental exposure controls** : None identified.

## 9. Physical and chemical properties

### General information

#### Appearance

- Physical state** : Liquid.
- Colour** : Blue.

### Important health, safety and environmental information

- Relative density** : 1.045
- VOC content** : 0 % (w/w) [ISO % 11890-2]

## 10. Stability and reactivity

- Stability** : The product is stable.
- Conditions to avoid** : No specific data.
- Materials to avoid** : No specific data.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

### Potential acute health effects

- Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Ingestion** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Eye contact** : No known significant effects or critical hazards.

#### Acute toxicity

#### Over-exposure signs/symptoms

## 12. Ecological information

### Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
triethanolamine	-	Acute EC50 609.98 to 658.3 mg/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia	48 hours
	-	Acute LC50 11800000 to 13000000 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas	96 hours
	-	Acute LC50 >100000 ug/L Marine water	Crustaceans - Common shrimp, sand shrimp - Crangon crangon	48 hours

#### Biodegradability

- Other adverse effects** : No known significant effects or critical hazards.

**Date of issue** : 02/12/2010.

5/7

## 12. Ecological information

**AOX** : The product contains organically bound halogens and can contribute to the AOX value in waste water.

## 13. Disposal considerations

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

16 03 06 organic wastes other than those mentioned in 16 03 05

**Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

## 14. Transport information

### International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
<b>ADR/RID Class</b>	Not regulated.	-	-	-		-
<b>IMDG Class</b>	Not regulated.	-	-	-		-
<b>IATA Class</b>	Not regulated.	-	-	-		-

PG\* : Packing group

## 15. Regulatory information

### EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

**Risk phrases** : This product is not classified according to EU legislation.

**Product use** : Consumer applications.

### Other EU regulations

**Additional warning phrases** : Contains chlorocresol. May produce an allergic reaction. Safety data sheet available for professional user on request.

### Germany

**Hazard class for water** : 1 Appendix No. 4

### Italy

**Emission control directive** : Not classified.

## 16. Other information

### History

**Date of printing** : 20/07/2011.  
**Date of issue** : 02/12/2010.  
**Date of previous issue** : No previous validation.  
**Version** : 1

**Prepared by** : Not available.

☑ Indicates information that has changed from previously issued version.

**Date of issue** : 02/12/2010.

6/7

## 16. Other information

### References

The Health and Safety At Work Act 1974, section 6.  
Control of Substances Hazardous to Health (CoSHH) Regulations 2002 and its amendments.

Preparation contains solely TSCA and REACH 1907/2006 listed substances.

This safety data sheet has been prepared in accordance with the requirements of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 which implement EC Directives 1999/45/EC and 2001/58/EC and their amendments.

### Notice to reader

*To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.*

*Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*